



## PT. **BEHRINDOTAMA BUANA**

*Supplier of Industrial & Specialty Chemicals*

**Komplek Rukan Puri Mutiara Blok A/30**

**Jl. Griya Utama - Sunter Agung. Jakarta 14350**

**Telp : (021) 653 141 69 Fax : (021) 653 141 70**

**E-Mail : [behrindo@indosat.net.id](mailto:behrindo@indosat.net.id)**

**[adminjkt@behrindo.com](mailto:adminjkt@behrindo.com)**

### **TECHNICAL DATA SHEET**

**Iron Oxide Green 835**

Full shade	$\Delta E^*_{ab}$	$\leq 1.0$
Tinting Strength	%	100 $\pm$ 3
Oil Absorption	ml/100g	20 -35
PH Value	min	6.0
Moisture and Volatile Matter at 105°C	max, %	1.0
325 $\mu$ Residue on Sieve	max, %	2.5
Matter Soluble in water	max, %	1.0
Tamped Density	g/cm <sup>3</sup>	1.0-1.3

All information given and recommendations made herein are based upon research and are believed to be accurate. No guarantee, either expressed or implied, is made with respect thereto or with respect to the infringement of any patent. Our products are sold with the understanding that the user is solely responsible for determining their suitability for any purpose.