

# Safety Data Sheet (SDS)

## COLMASTER SERIES

### COLMASTER GREEN 84381 LF

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name** COLMASTER GREEN 84381 LF -COLMASTER SERIES  
**Other/Generic Name** Green Color Masterbatch  
**Manufacturer** PT. Intera Lestari Polimer  
Jl. Raya Serang KM 24.5 Kp. Pasir Jaha , Ds. Sentul Jaya  
Kec. Balaraja . Kab. Tangerang 15610 Banten - Indonesia  
**For Information In Indonesia** Call: +62-215950699  
Fax : +62-215950696

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	
POLYETHYLENE	PIGMENT WHITE
PIGMENT YELLOW	PIGMENT BLACK
PIGMENT BLUE	

#### 3. HAZARDS IDENTIFICATION

Human Health Hazards Not hazardous at normal condition to the human body.  
Heating may release small amounts of volatile irritants.  
Environmental Hazards Not available.  
Physical/Chemical Hazards The material burns slowly with high smoke density.

#### 4. FIRST AID MEASURES

Skin Wash with water and soap  
Eye Wash with water for 15 minutes, if irritation persist.

Inhalation	For inhalation of vapor occur during molten pellet, remove to fresh air
Ingestion	Not expected to occur
Note To Physician	No specific advice, treat accord

## 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Water, water/foam, carbon dioxide.
Unsuitable Extinguishing Media	No restrictions.
Special Exposure Hazards	None known.
Combustion Products	Carbon monoxide, carbon dioxide, products of incomplete combustion.
Protection Of Firefighters	Fire fighters should wear full protective clothing including self-contained breathing apparatus. Keep personnel removed and upwind of fire.

## 6. ACCIDENTAL RELEASE MEASURES

Methods For Cleanup	
In Case Of Large Spills	Collect spilled material and reuse if possible.
In Case Of Small Spills	Collect spilled material in containers and dispose appropriatery

## 7. HANDLING AND STORAGE

Handling	When using do not eat, drink or smoke. Wash hands after handling.
Storage	Store in a clean, dry, dark area to maintain product quality. Keep in original containers or use black covers to protect from artificial or natural light. The preferred storage temperature is 20-45 C. Do not put at room with high humidity

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Control	Use adequate ventilation during heating processes, for storage and ordinary handling, general ventilation is adequate
Personal Protective Equipment	
Skin Protection	Protective garments and gloves when handling molten material
Eye Protection	Chemical goggles around molten material
Respiratory Protection	During melting and conveying molten, use an organic

Additional  
Recommendations

vapor respirator  
Not generally required

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Green pellet
Odor	Odorless
Specific Gravity	1.01 – 1.11 (water = 1)
Solubility In Water	Insoluble
Decomposition Temperature	>200°C

## 10. STABILITY AND REACTIVITY

Chemical Stability	Product is stable at ambient temperature and pressure.
Conditions To Avoid	Extreme temperature, >200°C will cause thermal decomposition.
Hazardous Decomp. Products	Carbon monoxide, carbon dioxide and partially oxidized hydrocarbons
Hazardous Reaction	Will not occur.

## 11. TOXICOLOGICAL INFORMATION

Immediate (Acute) Effects	Not determined
Suchronic And Chronic Effects	Not determined
Other Data	No other data developed

## 12. ECOLOGICAL INFORMATION

No data have been developed on this subject. These polymeric product are not soluble in water, they are not considered biodegradable

## 13. DISPOSAL CONSIDERATION

Method of disposal	Reuse if possible. Material as supplied is not characterized as hazardous under RCRA (Resource and Conservation Recovery Act). Incinerate or dispose as directed by local, state and federal regulations.
--------------------	---

## 14. TRANSPORTATION INFORMATION

US DOT HAZARD CLASS      Not regulated

US DOT ID NUMBER      Not applicable

For additional on shipping regulations affecting this material, contact the information number found on the first page

## 15. REGULATORY INFORMATION

ADDITIONAL REGULATORY INFORMATION

None

## 16. OTHER INFORMATION

**Current issue date**      **December 11<sup>th</sup> , 2025**

**Other information**      **None**

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of INTERA LESTARI POLIMER knowledge, obtain from source believed by INTERA LESTARI POLIMER to be accurate. Customers are encouraged to conduct their own test, before using any product.

**PSD/COL83441L/XII/25**

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

PT INTERA LESTARI POLIMER

[www.interapolimer.com](http://www.interapolimer.com)

[info@interapolimer.com](mailto:info@interapolimer.com)

Jakarta

Jl. Kesehatan No. 48, Jakarta 10160

P : +62 21 38 901 901

F : +62 21 38 901 890

Bandung

Jl. Sukamenak No. 97 Bandung 40227

P : +62 22 8780 2277

F : +62 22 541 9594

Surabaya

Jl. Berbek Industri II No. 4, Sidoarjo 60293

P : +62 31 843 8484

F : +62 31 847 5350