

MATERIAL SAFETY DATA SHEET

1

PRODUCT IDENTIFICATION

1.1 Product Name

1.2 Trade Name

1.3 Product Application

1.4 Synonim

1.5 CAS No. & EINECS No.

1.7 Identification of The company

Head Office

Factory

Super Fine and Ultrafine Ground Calcium Carbonate

SUPER-W CAL; ULTRACAL

Adhesive, Board, cosmetics, paints, plastics, paper, rubber

Limestone

1317-65-3 & 215-279-6

PT BHUMIDANA INDONESIA

- Jl. Dr. Rum 16, Bandung, Jawa Barat 40171, Indonesia
 - Jl. Raya Tuban-Semarang Km.18, Desa Temaji, Dusun Karang Anyar, Kec. Jenu Kab.
 Tuban, Jawa Timur, Indonesia

1.8 Sales Representative:

· Jl. Pahlawan No.43 E, Surabaya 60174, Indonesia

T: +62 31 548-2858 F: +62 31 532-7771



INFORMATION ON INGREDIENT

CHEMICAL ANALYSIS

CaCO ₃	%-min	98.50
MgO	%-max	0.50
Fe ₂ O ₃	%-max	0.03
Acid Insoluble content for Raw Material	%	0.20
Moisture content (ISO 787/2)	%-max	0.30

HAZARD IDENTIFICATION



Routes of Exposure

The Calcium Carbonate powder can affect the body if it is inhaled or if it comes in contact with the skin and the eyes.

Summary of Acute Health Hazard

• Skin

Eyes

Ingestion

Inhalation

May cause skin irritation and dry skin

May cause irritation of the eyes

May cause gastrointestinal irritation

Excessive inhalation may cause minor respiratory track irritation

Summary of Chronic Health Hazard

Chronic ingestion may cause hypercalcemia, alkalosis and kidney damage. May also produce milk alkali syndrome characterized by neurological symptoms such as irritability, lethargy, stupor and coma.

Effect of overexposure

Repeated inhalation of the Calcium Carbonate powder dust might cause minor respiratory track irritation and chronic cough. Ingestion of large amounts may cause gastrointestinal irritation



FIRST-AID MEASURE

Ingestion
 If victim is conscious and alert, give 2-4 cupfuls of milk or water.
 Inhalation
 Remove from exposure to fresh air immediately. If not breathing, given the properties of the properties

Remove from exposure to fresh air immediately. If not breathing, give artificial respiration.

If breathing is difficult, give oxygen. Get medical aid if cough or other symptoms appear.

Wash the dust from skin with water and soap. Get medical aid if irritation develops or persists.

wash the dust from skill with water and soap. Get medical aid it lititation develops of persists.

SkinEyes

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower lids.




FIRE-FIGHTING MEASURE

The Calcium Carbonate powder should not be considered a combustible material



ACCIDENTAL RELEASE

- Person should wear suitable work clothes and use boot shoes.
- Vacuum or sweep up the spilled material in the most convenient and save manner for reclamation or for disposal in a secured sanitary landfill (non hazardous batch storage tank)
- Minimize dust generation.
- · Keep the production area always dry.



7

HANDLING AND STORAGE

- Handle the product as non-hazardous material and minimize dust-generating processes.
- Store the unpackaged product in a non-hazardous batch storage tank.
- Store the product in a dry, well-ventilated area away from incompatible substances.
- · Keep away from strong acid.



EXPOSURE CONTROLS / PERSONAL PROTECTION

- Personal Protective Equipment
- Work / Hygienic Practices

Avoid contact with the eyes and inhalation of the Calcium Carbonate powder



PHYSICAL AND CHEMICAL PROPERTIES

Appearance		White Powder
Odor		Odorless
True S.g Raw Material (ISO 787/7)		2.70
Melting Point	∘C	1340
% Volatiles by volume (21°C / 70°C)		
Boiling Point		Not Applicable
Hardness Raw Material	Mohs	3.0
Particle Refractive Index		1.59
Flash point		Incombustible
Explosive Properties		Non-explosive
Thermal Decomposition	∘C	Above 825
pH Value (ISO 787/9)		9.0 ± 0.3
Vapor Density (Air = 1)		No information found
Vapor Pressure	mmHg	No information found
Evaporation Rate (Bu Ac=1)		No information found

10

STABILITY AND REACTIVITY

· Chemical stability

Stable

· Conditions to avoid

Incompatible materials, acids.

· Incompatibles with Other Materials

Will ignite on contact with fluorine; incompatible with acid, alum, ammonium salts and

mercury + hydrogen

· Hazardous Decomposition Products

Calcium Oxide

· Hazardous Polymerization

None



TOXICOLOGICAL INFORMATION

Carcinogenicity

None

Epidemiology

None

Tetratogenicity

None

· Reproductive Effects

None

Neurotoxicity

None

Mutagencity

None



ECOLOGICAL INFORMATION

Environmental Fate

No Information found

Environmental Toxicity

No Information found



DISPOSAL CONSIDERATIONS

Dispose of in a manner consistent with federal, state and local regulations.

Not suitable for incineration, chemical or biological degradation.



TRANSPORT INFORMATION


Transport in closed container to prevent dust dispersion

• DOT Proper Shipping Name

None

• DOT Hazard Class / I.D. No.

None



15 REGULATORY INFORMATION

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rules.

· Clean Air Act

This material does not contain any hazardous air pollutants.

· Clean Water Act

This material does not contain any substances which can deplete the ozone

None of the chemicals in this product are listed as Hazardous Substances

None of the chemicals in this product are listed as Priority Pollutants

None of the chemicals in this product are listed as Toxic Pollutants

CHEMICAL INVENTORY STATUS

USA TSCA Inventory listed under CAS no. 1317-65-3

Calcium Carbonate/ Limestone are GRAS by the FDA

CANADA Limestone is exempt from the PDSL (Naturally occurring substances)

EUROPE/ EG EINECS listed under No. 215-279-6

SWITZERLAND Classified as a non-toxic product under number G-7458 CH

JAPAN MITI registered under 1-122-122

AUSTRALIA AGOIN edition 92 listed under CAS No. 1317-65-3

CHINA 1317-76-3



OTHER INFORMATION

· Chemical Family / Type

Alkaline

IMPORTANT!

Read this MSDS before use or disposal of this product. Pass along this information to employees and any other persons who could be exposed to the product to be sure that they are aware of the information before use or other exposure. This MSDS information is based on sources believed to be reliable. However, since data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control, PT BHUMIDANA INDONESIA makes no warranty, either expressed or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Also, additional information may be necessary or helpful for specific conditions and circumstances of use. It is the user's responsibility to determine the suitability of this product and to evaluate risks prior to use, and then to exercise appropriate precautions for protection of employees and others.

Prepared by : QC & Lab Department

Dated: August 26,2023