

# Material Safety Data Sheet



## REMAFIN-BLACK PE9N400201-ZN MX-S8013

Page 1

Substance key: 000000416340

Revision Date: 23.09.2020

Version : 1 - 13 / RI

Date of printing : 04.03.2022

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Trade name**

**REMAFIN-BLACK PE9N400201-ZN MX-S8013**

**Material number:** PE9N400201

**Recommended use:**

Industry sector : Plastic processing industry.

Type of use : Additive for plastic material processing

**Supplier name/address/telephone no.:**

PT Avient Colorants Indonesia

Gatot Subroto Km.4,Jl.Kalisabi No.1,Building 37,Kec. Cibodas

Tangerang, Indonesia 15138, Indonesia

Telephone : +62 21 5538589

**Information about the substance/preparation**

Product Safety : +62 21 5538589

e-mail: PS\_CS\_MB\_SEA@Avient.com

**Emergency telephone number:** +62 21 5538589

### 2. HAZARDS IDENTIFICATION

**GHS Classification**

Not a dangerous substance according to GHS.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards which do not result in classification**

Spilled granules give rise to a slipping hazard. Clean up immediately.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Colourant preparation  
Carrier: LDPE

**Components**

No hazardous ingredients

### 4. FIRST AID MEASURES

General advice : No special measures necessary.

If inhaled : No special measures necessary.

# Material Safety Data Sheet



## REMAFIN-BLACK PE9N400201-ZN MX-S8013

Page 2

Substance key: 000000416340

Revision Date: 23.09.2020

Version : 1 - 13 / RI

Date of printing : 04.03.2022

- In case of skin contact : Cool skin rapidly with cold water after contact with molten material.  
Do not peel solidified product off the skin.  
Get medical attention.
- In case of eye contact : Obtain medical attention.  
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
- If swallowed : Do NOT induce vomiting.  
Call in a physician immediately and show him the Safety Data Sheet.
- Most important symptoms and effects, both acute and delayed : No symptoms known currently.

### 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray jet  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry powder
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:  
Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Hazardous decomposition products:  
Sulphur oxides
- Special protective equipment for firefighters : Self-contained breathing apparatus

### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : See: Exposure controls and personal protection.  
Sweep up to prevent slipping hazard.
- Environmental precautions : Do not allow to enter drains or waterways
- Methods and materials for containment and cleaning up : Treat recovered material as described in the section "Disposal considerations".

### 7. HANDLING AND STORAGE

Substance key: 000000416340

Revision Date: 23.09.2020

Version : 1 - 13 / RI

Date of printing : 04.03.2022

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
- Advice on safe handling : Ensure good general ventilation in the workplace; local exhaust ventilation may be necessary, especially when emptying containers.
- Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place. Protect from moisture. Keep away from direct sunlight.
- Materials to avoid : not required

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

- Engineering measures** : No special measures necessary.

### Personal protective equipment

- Respiratory protection : In case of insufficient exhaust ventilation or prolonged exposure use respiratory protection equipment.
- Hand protection  
Remarks : Leather gloves Nitrile rubber gloves. Minimum thickness (glove): valid statement not possible. Minimum breakthrough time (glove): valid statement not possible. These types of protective gloves are offered by various manufacturers. Please note the manufacturers' detailed statements, especially about the minimum thickness and the minimum breakthrough time. Consider also the particular working conditions under which the gloves are being used.
- Eye protection : Safety glasses
- Skin and body protection : Wear suitable protective clothing.
- Protective measures : Observe the usual precautions for handling chemicals.
- Hygiene measures : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Granules
- Colour : black

# Material Safety Data Sheet



## REMAFIN-BLACK PE9N400201-ZN MX-S8013

Page 4

Substance key: 000000416340

Revision Date: 23.09.2020

Version : 1 - 13 / RI

Date of printing : 04.03.2022

Odour	:	characteristic
Odour Threshold	:	not available
pH	:	Not applicable
Melting point	:	> 110 °C
Boiling point	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Self-ignition	:	Not applicable
Burning number	:	Not applicable
Upper explosion limit / upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	Not applicable
Density	:	approx. 1,8 g/cm <sup>3</sup> Value determined from data on raw material.
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Decomposition temperature	:	To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices.
Viscosity Viscosity, dynamic	:	Not applicable

### 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Temperatures exceeding thermal stability of the masterbatch. Electrostatic charges.

Substance key: 000000416340

Revision Date: 23.09.2020

Version : 1 - 13 / RI

Date of printing : 04.03.2022

Incompatible materials : not known

Hazardous decomposition products : No decomposition if used as directed.

---

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

**Product:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
Remarks: The product has not been tested. The information is derived from the properties of the individual components.

### Skin corrosion/irritation

**Product:**

Result : No skin irritation

### Serious eye damage/eye irritation

**Product:**

Result : No eye irritation

### Respiratory or skin sensitisation

**Product:**

Result : non-sensitizing

### Aspiration toxicity

**Product:**

no data available

### Further information

**Product:**

Remarks : Determined on raw material components.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Product:**

Toxicity to soil dwelling organisms : Remarks: not available

Plant toxicity : Remarks: not available

Substance key: 000000416340

Revision Date: 23.09.2020

Version : 1 - 13 / RI

Date of printing : 04.03.2022

### Persistence and degradability

#### Product:

Biodegradability : Remarks: not available

Physico-chemical  
removability : Remarks: The product can be separated out mechanically.

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: not available

### Mobility in soil

no data available

### Other adverse effects

#### Product:

Additional ecological  
information : Do not allow to enter ground water, waterways or waste water.

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Residual chemical should be subjected to waste management, using an approved waste disposal contractor.

Contaminated packaging : Contaminated packaging material should be treated equivalent to residual chemicals. Clean packaging material should be subjected to waste management schemes (recovery recycling, reuse) according to local legislation.

## 14. TRANSPORT INFORMATION

IATA	not restricted
IMDG	not restricted

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Not a hazardous substance or mixture according to the Globally Harmonised System (GHS).

Substance key: 000000416340

Revision Date: 23.09.2020

Version : 1 - 13 / RI

Date of printing : 04.03.2022

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of  
Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized  
System of Classification and Labelling of Chemicals.**

---

**16. OTHER INFORMATION**

Date format : yyyy/mm/dd

**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information contain herein is accurate to the best knowledge of Avient Corporation and its subsidiaries and affiliates. However, neither Avient nor any of its subsidiaries or affiliates assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of the Avient product is the sole responsibility of the user. Any material may present unknown hazards and should be used with caution. Due to possible changes in Avient products and applicable national and international regulations and laws, the status of the products could change. Although certain hazards are described herein, Avient and its subsidiaries and affiliates cannot guarantee that these are the only hazards that exist. This

# Material Safety Data Sheet



**REMAFIN-BLACK PE9N400201-ZN MX-S8013**

Page 8

---

Substance key: 000000416340

Revision Date: 23.09.2020

---

Version : 1 - 13 / RI

Date of printing : 04.03.2022

---

information is only valid for the current intended use, and is not valid for such Avient product used in conjunction with any other materials or in any process.

ID / EN