

# Safety Data Sheet (SDS)

COLMASTER SERIES

## COLMASTER RED 61161

### 1. PRODUCT AND COMPANY IDENTIFICATION

<b>Product Name</b>	COLMASTER RED 61161 – COLMASTER SERIES
<b>Other/Generic Name</b>	Red Color Masterbatch
<b>Manufacturer</b>	PT. Intera Lestari Polimer Jl. Raya Serang KM 24.5 Kp. Pasir Jaha , Ds. Sentul Jaya Kec. Balaraja . Kab. Tangerang 15610 Banten - Indonesia
<b>For Information In Indonesia</b>	Call: +62-215950699 Fax : +62-215950696

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name
POLYETHYLENE
PIGMENT RED

### 3. HAZARDS IDENTIFICATION

Human Health Hazards	Not hazardous at normal condition to the human body. Heating may release small amounts of volatile irritants.
Environmental Hazards	Not available.
Physical/Chemical Hazards	The material burns slowly with high smoke density.

### 4. FIRST AID MEASURES

Skin	Wash with water and soap
Eye	Wash with water for 15 minutes, if irritation persist.
Inhalation	For inhalation of vapor occur during molten pellet, remove to fresh air
Ingestion	Not expected to occur
Note To Physician	No specific advice, treat accord

### 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Water, water/foam, carbon dioxide.
Unsuitable Extinguishing Media	No restrictions.
Special Exposure Hazards	None known.
Combustion Products	Carbon monoxide, carbon dioxide, products of incomplete combustion.
Protection Of Firefighters	Fire fighters should wear full protective clothing including self-contained breathing apparatus. Keep personnel removed and

upwind of fire.

## 6. ACCIDENTAL RELEASE MEASURES

### Methods For Cleanup

In Case Of Large Spills

Collect spilled material and reuse if possible.

In Case Of Small Spills

Collect spilled material in containers and dispose appropriately

## 7. HANDLING AND STORAGE

### Handling

When using do not eat, drink or smoke. Wash hands after handling.

### Storage

Store in a clean, dry, dark area to maintain product quality. Keep in original containers or use black covers to protect from artificial or natural light. The preferred storage temperature is 20-45 C. Do not put at room with high humidity

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Engineering Control

Use adequate ventilation during heating processes, for storage and ordinary handling, general ventilation is adequate

### Personal Protective Equipment

Skin Protection

Protective garments and gloves when handling molten material

Eye Protection

Chemical goggles around molten material

Respiratory Protection

During melting and conveying molten, use an organic vapor respirator

Additional Recommendations

Not generally required

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Red pellet

Odor

Odorless

Specific Gravity

1.24 – 1.34 (water = 1)

Solubility In Water

Insoluble

Decomposition Temperature

> 220 °C

## 10. STABILITY AND REACTIVITY

Chemical Stability

Product is stable at ambient temperature and pressure.

Conditions To Avoid

Extreme temperature, >220 °C will cause thermal decomposition.

Hazardous Decomp. Products

Carbon monoxide, carbon dioxide and partially oxidized hydrocarbons

Hazardous Reaction

Will not occur.

## 11. TOXICOLOGICAL INFORMATION

Immediate (Acute) Effects

Not determined

Subchronic And Chronic Effects

Not determined

Other Data

No other data developed

## 12. ECOLOGICAL INFORMATION

No data have been developed on this subject. These polymeric product are not soluble in water, they are not considered biodegradable

### 13. DISPOSAL CONSIDERATION

Method of disposal Reuse if possible. Material as supplied is not characterized as hazardous under RCRA (Resource and Conservation Recovery Act). Incinerate or dispose as directed by local, state and federal regulations.

### 14. TRANSPORTATION INFORMATION

US DOT HAZARD CLASS Not regulated  
US DOT ID NUMBER Not applicable  
For additional on shipping regulations affecting this material, contact the information number found on the first page

### 15. REGULATORY INFORMATION

ADDITIONAL REGULATORY INFORMATION

None

### 16. OTHER INFORMATION

Current issue date February 5<sup>th</sup>, 2026

Other information None

This information is furnished without warranty, representation, inducement or license of any kind, except that it is accurate to the best of INTERA LESTARI POLIMER's knowledge, obtain from source believed by INTERA LESTARI POLIMER to be accurate. Customers are encouraged to conduct their own test, before using any product.

PSD/COL61161/II/26

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

PT INTERA LESTARI POLIMER

[www.interapolimer.com](http://www.interapolimer.com)

[info@interapolimer.com](mailto:info@interapolimer.com)

Jakarta  
Jl. Kesehatan No. 48, Jakarta 10160  
P : +62 21 38 901 901  
F : +62 21 38 901 890

Bandung  
Jl. Sukamenak No. 97 Bandung 40227  
P : +62 22 8780 2277  
F : +62 22 541 9594

Surabaya  
Jl. Berbek Industri II No. 4, Sidoarjo 60293  
P : +62 31 843 8484  
F : +62 31 847 5350