For more information and technical assistance contact; PTT Global Chemical Public Company Limited 555/1, Energy Complex, Building A, 14<sup>m</sup>-18<sup>m</sup> Floor, Vibhavadi Rangsit Rd., Chatuchak, Bangkok 10900 TEL+66-265-8400 Fax+66-256-8500



555/1 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคารเอ ชั้น 14-18 ถนนวิภาวดีรังสิด แขวงจดุจักร เขดจดุจักร กรุงเทพฯ 10900 โทร+66-2265-8400 โทรสาร +66-2265-8500



# **SAFETY DATA SHEET**

# **1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**

PRODUCT NAME:	InnoPlus LL8420A
CHEMICAL NAME:	Linear Low Density Polyethylene
MANUFACTURER:	PTT Global Chemical Public Company Limited
	8 Padang Rd., Map Ta Phut, Muang Rayong District,
	Rayong 21150, Thailand
<b>24-HOUR EMERGENCY:</b> Thailand; +66(0)-3897-5412	

**CONTACT** +66(0)-3897-6905

# 2. HAZARDS IDENTIFICATION

# **CLASSIFICATION OF THE SUBSTANCE OR MIXTURE**

• Classification according to Globally Harmonized System (GHS):

The substance is not classified as hazardous according to GHS.

• Classification according to Regulation (EC) No 1272/2008 (CLP):

The substance is not classified as hazardous according to the CLP regulation.

#### • Classification according to Directive 67/548/EEC or Directive 1999/45/EC:

The substance is not classified as hazardous according to Directive 67/548/EEC or Directive 1999/45/EC.

#### LABEL ELEMENTS

<ul> <li>Labelling according to GHS:</li> </ul>	None
• Labelling according to Regulation (EC) No 1272/2008:	None
Hazard pictograms:	None
• Signal word:	None
Hazard statements:	None
Precautionary statements :	
Prevention:	Not Applicable
Response:	Not Applicable
Storage:	Not Applicable
Disposal:	Not Applicable
Additional information.	

# • Additional information:

Pellets on the floor may cause a serious slipping hazard.

Skin or eye contact with hot polymer can cause thermal burns.

Processing the polymer at high temperatures may form vapors that irritate the eyes and respiratory tract.

# **OTHER HAZARDS**

#### • Results of PBT and vPvB assessment

- PBT: Not determined
- vPvB: Not determined

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products when not used in conjunction with any third party materials.



555/1 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคารเอ ชั้น 14-18 ถนนวิภาวดีรังสิด แขวงจดุจักร เขดจดุจักร กรุงเทพฯ 10900 โทร+66-2265-8400 โทรสาร +66-2265-8500

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS no.	Weight %
Ethylene butene-1 copolymer	25087-34-7	>99
Additives	-	<1.0

# **4. FIRST AID MEASURES**

# INHALATION

Remove to fresh air. If patient is not breathing or breathing irregular, provide artificial respiration or oxygen. Obtain medical attention by physician if symptoms persist.

# EYE CONTACT

Immediately flush eyes with plenty of water for several minutes. Be sure to remove any contact lens. Get medical attention if irritations persist.

#### **SKIN CONTACT**

Wash skin with soap and water. Quickly remove contaminated cloth or shoes. Obtain medical if irritation occurs.

#### INGESTION

Do not induce vomiting, consult a physician immediately.

#### **NOTES TO PHYSICIAN**

No specific treatment. Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

SUITABLE EXTINGUISHING	Water haze, Foam, Chemical powder.
MEDIA :	
UNSUITABILITY	None
EXTIGUISHING MEDIA :	
HAZARDS DECOMPOSITION	Decomposition products may include carbon dioxide.
PRODUCT(S) :	Normally combustion forms water vapor and may produce
	carbon monoxide and other hydrocarbons. The products of
	the burning are dangerous.
SPECIAL PROTECTIVE	Use personal protective equipment or self-contained
EQUIPMENT :	breathing apparatus (SCBA) when fighting fires in enclosed
	areas or confined room.

# 6. ACCIDENTAL RELEASE MEASURES

# PERSONAL PRECAUTIONS

Eliminate all sources of ignition in vicinity of spilled material. Wear appropriate personal protective equipment when cleaning up spills.

# **ENVIRONMENTAL PRECAUTIONS**

Avoid dispersal of split materials to natural waters, soil or sewers. **METHODS FOR CLEANING UP** 

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the austomer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products when not used in conjunction with any third party materials.

บริษัท พีทีที โกลบอล เคมิคอล จำกัด (มหาชน) 555/1 ศนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคารเอ ชั้น 14-18 ถนนวิภาวดีรังสิด แขวงจดจักร เขดจดจักร กรงเทพฯ 10900 โทร+66-2265-8400 โทรสาร +66-2265-8500



Sweep up or vacuum split materials and place in a designated, labeled waste container. Contact licensed waste disposal contractor to dispose.

# 7. HANDLING AND STORAGE

# HANDLING

Use good housekeeping for safe handling of the product. No smoking, drinking or eating in handling and store area. Avoid spilling the product, as this might cause falls. Potential toxic/irritating fumes may be evolved from heated material. Provide appropriate ventilation for such processing conditions. Take precautionary measures against explosion risks, as all types of polymers may develop dust during transporting or grinding of granules.

# **STORAGE**

Protect from heat and direct sunlight in a dry, cool and well-ventilated area. Take precautionary measures to prevent the formation of static electricity. Do not store together with oxidizing and self-igniting products.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **EXPOSURE LIMITS**

No exposure limits value known. EXPOSURE CONTROLS

Respiratory Protection:	Product processing, heat sealing of film or operations involving the use of wires or blades heated above 300°C may produce dust, vapor or fumes. To minimize risk of overexposure to dust, vapor or fumes it is recommended that a local exhaust system is placed above the equipment, and that the working area is properly ventilated. If ventilation is inadequate, use certified respirator that will protect against dust/mist.
Skin and Body Protection:	Hot material: Wear heat-resistant protective gloves, clothing and face shield able to withstand the temperature of the molten product. Cold material: None required; however, use of gloves is good industrial practice.
Hand Protection:	Hot material: Wear heat-resistant protective gloves able to withstand the temperature of the molten product. Cold material: None required; however, use of gloves is good industrial practice.
Eyes Protection:	Safety glasses with side shields. Use dust goggles if high dust concentration is generated.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

• Appearance:	Pellets
Physical state:	Solid
• Color:	Off-white
• Odor:	Paraffin-like
• Odor threshold:	No data available

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.

For more information and technical assistance contact; PTT Global Chemical Public Company Limited 555/1, Energy Complex, Building A, 14<sup>m</sup> - 18<sup>m</sup> Floor, Vibhavadi Rangsit Rd., Chatuchak, Bangkok 10900 TEL466-2265-8400 Fax +66-2265-8500

บริษัท พีทีที โกลบอล เคมิคอล จำกัด (มหาชน)

555/1 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคารเอ ชั้น 14-18 ถนนวิภาวดีรังสิต แขวงจดุจักร เขดจดุจักร กรุงเทพฯ 10900 โทร+66-2265-8400 โทรสาร +66-2265-8500



- pH:
- Melting point:
- Boiling point
- Flash point:
- Evaporation rate:
- Flammability (solid, gas):
- Upper/lower explosion limits:
- Vapor pressure:
- Vapor density
- Relative density:
- Density at 23°C
- Solubility in water:
- Partition coefficient, n-octane/water:
- Auto-ignition temperature:
- Decomposed temperature:
- Viscosity, kinematic:
- Viscosity, dynamic:
- Explosive properties:

Not applicable 120 to 130 °C Not applicable No data available Not applicable No Not applicable Not applicable Not applicable No data available 0.916-0.940 g/cm3 Insoluble. No data available 350°C approx. No data available Not applicable No data available High dust concentrations have a potential for sparking or explosion No

• Oxidizing properties:

# **10. STABILITY AND REACTIVITY**

CHEMICAL STABILITY:Stability; under normal conditions of storage and use.CONDITIONS TO AVOID:Not applicableINCOMPATIBILITY MATERIALS:Incompatibility; to avoid strong oxidizing agents such as<br/>chlorates, nitrates, peroxides, etc.

**HAZARDOUS DECOMPOSITION:** Will not occur; under normal conditions of storage and use. **PRODUCTS** 

# **11. TOXICOLOGICAL INFORMATION**

ACUTE TOXICITYLD50 oral, ratNo determined.PRIMARY IRRITANT EFFECTNo irritant effect.Skin:No irritant effect.Eyes:No irritant effect.Sensitization:No sensitizing effect known.ADDITIONAL TOXICOLOGICAL INFORMATION

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

# **12. ECOLOGICAL INFORMATION** TOXICITY

The product is not toxic, small particles can have physical effects on water and soil organisms.

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products when not used in conjunction with any third party materials.

บริษัท พีทีที โกลบอล เคมิคอล จำกัด (มหาชน) 555/1 ศนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคารเอ ชั้น 14-18 ถนนวิภาวดีรังสิด แขวงจดจักร เขดจดจักร กรงเทพฯ 10900 โทร+66-2265-8400 โทรสาร +66-2265-8500



# PERSISTENCE AND DEGRADABILITY

This product is not biodegradable.

**RESULTS OF PBT AND vPvB ASSESSMENT** 

• PBT

: Not determined • vPvB : Not determined

# **OTHER ADVERSE EFFECTS**

No know significant effects or critical hazards.

# **13. DISPOSAL CONSIDERATIONS** WASTE TREATMENT METHODS

Recycle to process, if possible. Avoid contact of spilled material and runoff with soil and surface waterways. Consult an environmental professional to determine if local, regional or national regulations would classify spilled or contaminated materials as hazardous waste. Use only approved transporters, recyclers, and treatment, storage or disposal facilities. Dispose of in accordance with all applicable local and national regulations.

# **14. TRANSPORT INFORMATION**

UN-NUMBER:	
• ADR, IMDG, IATA	Not regulated
UN PROPER SHIPPING NAME:	
• ADR, IMDG, IATA	Not regulated
TRANSPORT HAZARD CLASS (ES):	Ũ
• ADR, IMDG, IATA	
• Class	Not regulated
PACKING GROUP:	
• ADR, IMDG, IATA	Not regulated
ENVIRONMENTAL HAZARDS:	
Marine pollutant:	No
SPRECIAL PRECAUTIONS FOR USER:	Not applicable.
TRANSPORT IN BULK:	Not applicable.
<ul> <li>Transport/Additional information:</li> </ul>	Not dangerous according to the above specifications.
• UN "Model Regulation":	•

# **15. REGULATION INFORMATION**

PACKAGING AND LABELLING:	No special requirement.
INVENTORIES:	Australian Inventory (AICS).
	Canada Inventory (DSL).
	China Inventory (IECS).
	EC Inventory (EINECS).
	Japan Inventory (ENCS).
	Korea Inventory (ECL).

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products in conjunction with other materials. The information contained herein relates exclusively to our products when not used in conjunction with any third party materials.



**บริษัท พีทีที่ โกลบอล เคมิคอล จำกัด (มหาชน**) 555/1 ศูนย์เอนเนอร์ยี่คอมเพล็กซ์ อาคารเอ ขั้น 14-18 ถนนวิภาวดีรังสิด แขวงจดุจักร เขดจดุจักร กรุงเทพฯ 10900 โทร+66-2265-8400 โทรสาร +66-2265-8500

# **16. OTHER INFORMATION**

#### HISTORY Date of Issue: Jul 2018 Revision: 6

Indicates information that has changed from previously issued version.

#### NOTICE

This Safety Data Sheet has been based upon data considered to be accurate at the time of its preparation. Despite our efforts, it may not be up to date or applicable to the circumstances of any particular case. We take no responsibility for inappropriate use, processing and handling by purchasers and uses of the product.

Disclaimer: To the best of our knowledge, the information contained herein is accurate and reliable as of the date of publication; however, we do not assume any liability what so ever for the accuracy and completeness of such information. We make no warranties which extend beyond the description contained herein. Nothing herein shall constitute any implied warranty of merchantability or fitness for a particular purpose. It is the customer's responsibility to inspect and test our products in order to satisfy itself as to the suitability of the products for the customer's particular purpose. The customer is responsible for the appropriate, safe and legal use, processing and handling of our products. No liability can be accepted in respect of the use of our products when not used in conjunction with any third party materials.