

## COLMASTER SERIES

### COLMASTER GREEN P 88121 LF

**Description** : High concentration green masterbatch for coloring polyolefin

**Application** : Extrusion, Injection Molding

**Carrier Resin** : Homopolymer polypropylene

**Addition Level** : 2 – 3 %

**Physical Properties** :

Item	Test Method	Unit	Product Specification
<b>MFI</b>	ASTM D – 1238 ( 230 °C / 2.16 kg )	g / 10 min	29 – 43
<b>Moisture Content</b>	ASTM D 6980-12	%	< 0.1
<b>Specific Gravity</b>	JIS K 7112	-	0.89 – 0.99
<b>Heat Resistance</b>	Based on Pigment Specification	°C	200
<b>Light Fastness</b>	Based on Pigment Specification	1 - 8	7
<b>Weather Fastness</b>	Based on Pigment Specification	1 - 5	3
<b>Resin Application</b>	Based on Pigment Specification	-	PP

## Packaging

COLMASTER GREEN P 88121 LF is supplied in pellet form, in 25 kgs double layered bags, consisting of plastic PE bag as inner layer and PP woven laminated paper bag as outer layer.

## Storage

Store in a cool dry place to prevent moisture absorption.

01/XI/25/COL88121PLF

These suggestion and data are based on information we believe to be reliable. They are offered in good faith, but without guarantee, as condition and methods of utilization of our products are beyond our control. We recommend that the prospective user determine the suitability of our materials and suggestions before adopting them on a commercial scale.

PT INTERA LESTARI POLIMER

[www.interapolimer.com](http://www.interapolimer.com) / [info@interapolimer.com](mailto:info@interapolimer.com)

**Jakarta**  
Jl. Kesehatan No.48 Jakarta 10160  
P: +62 21 38901 901  
F: +62 21 38901 890

**Bandung**  
Jl. Sukamenak No. 97 Bandung 40227  
P: +62 22 8780 2277  
F: +62 22 5419594

**Surabaya**  
Jl. Berbek Industri II No.4 Sidorarjo  
P: +62 31 843 8484  
F: +62 31 847 5350

**Semarang**  
Jl. Gatot Subroto Blok 11C - No. 6A Semarang  
P: +62 24 3532 0131