

## CALCIUM CARBONATE

TOP QUALITY - BEST SERVICES

### TECHNICAL DATA SHEET

## CALCIUM CARBONATE POWDER

ITEM CODE: KT 75 (UNCOATED)

### BRIEF DESCRIPTION

Natural Calcium Carbonate powder. Manufactured from white and high purity limestone/calcium carbonate; produced by Hight most advanced technological plants

### PRODUCT SPECIFIC SPECIFICATION

Particle size, Fineness (ISO 13320)

(See the particle size distribution from Mastersizer 3000E)

Median size: D50  $7.5 \pm 1.0 \mu\text{m}$

Top cut: D98  $70 \pm 10 \mu\text{m}$

Specific Surface Area  $560 \pm 50 \text{ m}^2/\text{kg}$

Volume below 2 micron  $12.8 \pm 2 \%$

Brightness (ISO 2469/70): 87.00 % Min

Whiteness Index CIE (ISO 2469/70): 78.00 % Min

Moisture (ISO 787/2): 0.25 % Max

Density (Raw Material):  $2.72 \text{ g/cm}^3$

Oil Absorption (ISO 787/5):  $11.0 \text{ g}/100\text{g}$  Max

### CHEMICALS ANALYSIS OF RAW MATERIAL

CaCO<sub>3</sub> content: 99.36 %

MgCO<sub>3</sub> content: 0.38 %

Fe<sub>2</sub>O<sub>3</sub> content: 0.01 %

Al<sub>2</sub>O<sub>3</sub> content: 0.01 %


SiO<sub>2</sub> content: 0.06 %

### PACKING

40 kg PP Woven Bag.

### MAIN APPLICATIONS

Widely used as an extender in paints, in particular matte emulsion paint or a filler in plastics, a mixture in plastic, paint, paper, rubber, glass and porcelain of high quality and high-grade products and other applications in industry.



**Note:** Our products of CaCO<sub>3</sub> powder are tailored to your demands in terms of particle size and fineness. The technical information is submitted based on our own testing and the testing of independent laboratories, and we believe it is accurate. However, no guarantee of its accuracy is made neither can we cover every possible application of our products, nor can we anticipate every variation encountered in manufacturing equipment and methods.

Technical Data Sheet: Detailed Specifications of GCC – PT. Supersonic Chemical Industry